

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	320	(digital:adj:signal:adj processor).ti.	USPAT	OR	ON	2005/06/09 14:27
L2	25	1 and (first adj stage) and (second adj stage)	USPAT	OR	ON	2005/06/09 14:30
L3	6	2 and latency	USPAT	OR	OFF	2005/06/09 14:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2992	((703/19) or (379/88:07) or (340/855.5) or (716/8,2,6,12,18)). CCLS.	USPAT	OR	OFF	2005/06/09 13:57
L2	4	1 and (first adj2 stage) and (second adj2 stage) and DSP	USPAT	OR	ON	2005/06/09 14:00
L3	2	1 and z-domain	USPAT	OR	ON	2005/06/09 14:00

Search Results

BROWSE

SEARCH

IEEE Xplore Guide

SUPPORT

Results for "((no <near/2> latency)<in>metadata)"

Your search matched 19 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)[Modify Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

1. Bit-serial multipliers and squarers

Ienne, P.; Viredaz, M.A.;
Computers, IEEE Transactions on
Volume 43, Issue 12, Dec. 1994 Page(s):1445 - 1450
[AbstractPlus](#) | Full Text: [PDF\(420 KB\)](#) IEEE JNL

2. A nonblocking algorithm for shared queues using compare-and-swap

Prakash, S.; Yann Hang Lee; Johnson, T.;
Computers, IEEE Transactions on
Volume 43, Issue 5, May 1994 Page(s):548 - 559
[AbstractPlus](#) | Full Text: [PDF\(920 KB\)](#) IEEE JNL

3. Theory and applications of incremental /spl Delta//spl Sigma/ converters

Markus, J.; Silva, J.; Temes, G.C.;
Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circuits and Systems I:
Fundamental Theory and Applications, IEEE Transactions on]
Volume 51, Issue 4, April 2004 Page(s):678 - 690
[AbstractPlus](#) | References | Full Text: [PDF\(416 KB\)](#) IEEE JNL

4. Parallel turbo coding interleavers: avoiding collisions in accesses to storage elements

Giulietti, A.; van der Perre, L.; Strum, A.;
Electronics Letters
Volume 38, Issue 5, 28 Feb. 2002 Page(s):232 - 234
[AbstractPlus](#) | Full Text: [PDF\(453 KB\)](#) IEEE JNL

5. Receiver design for MIMO-OFDM transmission over time variant channels

Al-Naffouri, T.Y.; Awoniyi, O.; Oteri, O.; Paulraj, A.;
Global Telecommunications Conference, 2004. GLOBECOM '04. IEEE
Volume 4, 29 Nov.-3 Dec. 2004 Page(s):2487 - 2492 Vol.4
[AbstractPlus](#) | Full Text: [PDF\(576 KB\)](#) IEEE CNF

6. Acquisition of 3D structure of selectable quality from image streams

Dalmia, A.K.; Trivedi, M.;
Applications of Computer Vision, 1994., Proceedings of the Second IEEE Workshop on
5-7 Dec. 1994 Page(s):289 - 296
[AbstractPlus](#) | Full Text: [PDF\(644 KB\)](#) IEEE CNF

7. Arithmetic structures for inner-product and other computations based on a latency-free bit-serial multiplier design

Haynal, S.; Parhami, B.;
Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth Asilomar Conference on
Volume 1, 3-6 Nov. 1996 Page(s):197 - 201 vol.1

- 8. A 15 mW 1.6 Gb/s wormhole data router for 2-D meshes**
Yen-Wen Lu; Yeh, G.K.; Burr, J.B.;
VLSI Circuits, 1996. Digest of Technical Papers., 1996 Symposium on
13-15 June 1996 Page(s):138 - 139
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) | IEEE CNTF
- 9. Decoupled vector architectures**
Espasa, R.; Valero, M.;
High-Performance Computer Architecture, 1996. Proceedings. Second International Symposium on
3-7 Feb. 1996 Page(s):281 - 290
[AbstractPlus](#) | Full Text: [PDF\(972 KB\)](#) | IEEE CNTF
- 10. Low-energy encoding for deep-submicron address buses**
Macchiarulo, L.; Macii, E.; Poncino, M.;
Low Power Electronics and Design, International Symposium on, 2001.
6-7 Aug. 2001 Page(s):176 - 181
[AbstractPlus](#) | Full Text: [PDF\(640 KB\)](#) | IEEE CNTF
- 11. Design theory for high-order incremental converters**
Markus, J.; Silva, J.; Temes, G.C.;
Intelligent Signal Processing, 2003 IEEE International Symposium on
4-6 Sept. 2003 Page(s):3 - 8
[AbstractPlus](#) | Full Text: [PDF\(433 KB\)](#) | IEEE CNTF
- 12. Parallel high-radix nonrestoring division**
Schwarz, E.M.; Flynn, M.J.;
Computers, IEEE Transactions on
Volume 42, Issue 10, Oct. 1993 Page(s):1234 - 1246
[AbstractPlus](#) | Full Text: [PDF\(1084 KB\)](#) | IEEE JNL
- 13. An ATM cell format and media access protocol for a network of switch-interconnected shared-medium ATM rings**
Cummings, A.J.; Cahill, L.W.;
Communications, IEEE Transactions on
Volume 46, Issue 5, May 1998 Page(s):584 - 586
[AbstractPlus](#) | References | Full Text: [PDF\(56 KB\)](#) | IEEE JNL
- 14. Effects of Network Characteristics on Task Performance in a Desktop CVE System**
Ling Chen;
Advanced Information Networking and Applications, 2005. AINA 2005. 19th International Conference on
Volume 1, 25-30 March 2005 Page(s):821 - 826
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) | IEEE CNTF
- 15. Modeling the technology impact on the design of a two-level multicomputer interconnection network**
Cruz-Rivera, J.L.; Wills, S.; Gaylord, T.; Glytsis, E.;
Computer Design: VLSI in Computers and Processors, 1996. ICCD '96. Proceedings., 1996 IEEE International Conference on
7-9 Oct. 1996 Page(s):165 - 169
[AbstractPlus](#) | Full Text: [PDF\(552 KB\)](#) | IEEE CNTF
- 16. Design of Giga-Bit/s optical Interconnection network for computer cluster**
Ge Zhou; Wen-Cai Jing; Yi-Mo Zhang; Feng Hua; Jin-Dong Tian; Xian-Ling Chen; Wei Liu;
Massively Parallel Processing, 1998. Proceedings. Fifth International Conference on
15-17 June 1998 Page(s):194 - 199
[AbstractPlus](#) | Full Text: [PDF\(768 KB\)](#) | IEEE CNTF
- 17. Dynamic termination output driver for a 600 MHz microprocessor**
Vishwanthaiah, S.; Ang, M.; Starr, J.; Taylor, A.;
Solid-State Circuits Conference, 2000. Digest of Technical Papers. ISSCC. 2000 IEEE International
7-9 Feb. 2000 Page(s):248 - 249

- 18. Congestion control of ATM networks using a learning methodology**
Jagannathan, S.; Tohmaz, A.;
Control Applications, 2001. (CCA '01). Proceedings of the 2001 IEEE International Conference on
5-7 Sept. 2001 Page(s):135 - 140
[AbstractPlus](#) | Full Text: [PDF\(457 KB\)](#) [IEEE CNF](#)
- 19. Breaking the memory bottleneck with an optical data path**
Fritts, J.E.; Chamberlain, R.D.;
Simulation Symposium, 2002. Proceedings. 35th Annual
14-18 April 2002 Page(s):352 - 362
[AbstractPlus](#) | Full Text: [PDF\(391 KB\)](#) [IEEE CNF](#)



[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLOR GUIDE](#)[SUPPORT](#)

Results for "((without <near/1> regard <near/2> latency))<in>metadata)"

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**. [e-mail](#) [printer friendly](#)[» View Session History](#)[» New Search](#)[» Key](#)[IEEE JNL IEEE Journal or Magazine](#)[IEE JNL IEE Journal or Magazine](#)[IEEE CNF IEEE Conference Proceeding](#)[IEE CNF IEE Conference Proceeding](#)[IEEE STD IEEE Standard](#)[Modify Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2009 IEEE -- All Rights Reserved

Search Results

BROWSE

SEARCH

IEEE Xplore Guide

SUPPORT

Results for "((without <near/1> regard <near/4> latency))<in>metadata)"

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 Check to search only within this results setDisplay Format: Citation Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE -- All Rights Reserved

**THE ACM DIGITAL LIBRARY**

Feedback Report a problem Satisfaction survey

Published before April 2000

Found 1 of 105,623

Terms used without regard to latency

Sort results by

 Save results to a Binder

Display results

 Search Tips Open results in a new windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale

1 Instruction scheduling for the HP PA-8000

David A. Dunn, Wei-Chung Hsu

December 1996 **Proceedings of the 29th annual ACM/IEEE international symposium on Microarchitecture**

Full text available: pdf(1.15 MB) Additional Information: full citation, abstract, references, citations, index terms

The PA-8000 is capable of reordering independent operations at run time, a task normally performed only by the instruction scheduler in the compiler. This paper presents some of the unique issues faced by an instruction scheduler for the PA-8000. Several features of the micro-architecture are presented along with the heuristics used in the production compiler to model that feature. These features include latency, resource constraints, instruction polarity cache interfaces, and memory dependences ...

Keywords: HP PA-8000, compiler optimization, instruction polarity cache interfaces, instruction scheduling, latency, memory dependences, micro-architecture, production compiler, resource constraints, scheduling

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	(multiple adj stage) same (data adj path)	USPAT	OR	ON	2005/06/09 11:47
L2	60	sonar and dsp and multipath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:51
L3	0	2 and z-domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:48
L4	14	hardware and stage and z-domain and latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:06
L5	1	"4689762".PN.	USPAT; USOCR	OR	OFF	2005/06/09 13:05
L6	1	"4831570".PN.	USPAT; USOCR	OR	OFF	2005/06/09 13:05
L7	13195875	(no or "not" or without) near/3 latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:07
L8	3371	(no or "not" or without) near3 latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:07
L9	2569	(no or "not" or without) adj3 latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:07
L10	2569	(no or without) adj3 latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:07

L11	1788	(no or without) adj2 latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:07
L12	68	11 same stage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:10
L13	19	(without adj regard adj2 latency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:10
L14	1	"5128871".PN.	USPAT; USOCR	OR	OFF	2005/06/09 13:22
L15	1	"6091892".PN.	USPAT; USOCR	OR	OFF	2005/06/09 13:23

Google API Proximity Search (GAPS)

From staggernation.com - Read Me - GAPS - GARBO - GAWSH

Find within word(s) of

in that order Sort by title Additional terms:

Show All results, with up to 10 from each query Filter each query

License key
(optional)

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.

Found without regard within 3 words of latency.

First 30 results of about 52 from 4 queries.

A Quantitative Framework for Automated Pre-Execution Thread Selection [distance: 2]

tance **without regard for actual latency** tolerance require- ments. Here the framework selects many long p-threads. In most programs, this is a losing ...

http://portal.acm.org/f_gateway.cfm?id=774907&type=pdf - - Cached - Similar pages

A Quantitative Framework for Automated Pre-Execution Thread Selection [distance: 2]

tance **without regard for actual latency** tolerance require- ments. Here the framework selects many long p-threads. In most programs, this is a losing ...

<http://www.cis.upenn.edu/~amir/pubs/conf/lselect-micro02.pdf> - - Cached - Similar pages

Alcohol consumption and ischemic heart disease mortality: are time ... [distance: 3]

The tendency has been to interpret these correlations **without regard to whether the latency** periods described are biologically plausible. ...

<http://aje.oupjournals.org/cgi/content/abstract/118/5/641> - - Cached - Similar pages

Alcohol consumption and ischemic heart disease mortality: are time ... [distance: 3]

The tendency has been to interpret these correlations **without regard to whether the latency** periods described are biologically plausible. ...

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6637991&dopt=Abstract - - Cached - Similar pages

Ascential Software Partners with IBM on Advanced Risk Management ... [distance: 3]

... Software's products and the ability of Ascential Software's products to locate, standardize and integrate risk- bearing data **without regard to source or latency** ...

<http://www.forrelease.com/D20040315/nern038.P1.03152004155301.01723.html> - 13k - Cached - Similar pages

Broadband satellite internet access high speed satellite internet ... [distance: 2]

... but essentially it is a product of hardware in the network that allows TCP/IP

to function **without regard to the latency** in the connection. ...

<http://www.skycasters.com/protocols-applications.html> - 21k - Cached - Similar pages

Data Integration Software - Enterprise Data Integration ... [distance: 3]

... Software's products and the ability of Ascential Software's products to locate, standardize and integrate risk- bearing data **without regard to source or latency** ...

<http://phx.corporate-ir.net/phoenix.zhtml?c=98445&p=irol-newsArticle&ID=511975&highlight=-20k> - Cached - Similar pages

EAI User Group - Ascential Software Partners with IBM on Advanced ... [distance: 3]

... Software's products and the ability of Ascential Software's products to locate, standardize and integrate risk- bearing data **without regard to source or latency** ...

<http://www.eaiug.com/forums/showthread.php?s=&threadid=1218> - 33k - Cached - Similar pages

Instruction Scheduling for the HP PA-8000 [distance: 1]

tions in the same cycle **without regard for latency**. Notice, that this schedule could retire ... that scheduling **without regard for latency** is reasonable for ...

<http://doi.ieeecomputersociety.org/10.1109/MICRO.1996.566470> - - Cached - Similar pages

Multi-media analog/digital/optical switching apparatus - US Patent ... [distance: 1]

Secondly, they are generally switching systems designed to switch high bandwidth serial transfers or analog transmissions **without regard for latency**. ...

<http://www.patentstorm.us/patents/5384773.html> - 62k - Cached - Similar pages

Newsletter Archives January, 2001 Winter, 2001 May 25, 2001 Speech ... [distance: 2]

... a cause of the occupational disease, **without regard to the latency** period for the exposure or whether the employer was the last employer of the worker. ...

<http://www.njccj.org/newslets-archives.htm> - 339k - Cached - Similar pages

OFTC #kernelnewbies DejaIRC 15 August 2002, 14:30-15:30 [distance: 2]

... users sending in requests as fast as possible, **without regard for request latency**, and measure only how many request/minute the server completes ...

<http://ds9a.nl/klogbot/?year=2002&month=8&day=15&hour=15> - 18k - Cached - Similar pages

Physical Storage Best Practices for Cisco Unity 4.0 (With ... [distance: 1]

With sequential I/O, it is possible to run a 9-GB disk drive at 200 I/O per second **without regard to latency** effects. However, tests have shown that a limit ...

http://www.cisco.com/en/US/products/sw/voicesw/ps2237/products_white_paper09186a00800a5b6c.shtml - 75k - Cached - Similar pages

Physical Storage Best Practices for Cisco Unity 4.0 (With ... [distance: 1]

With sequential I/O, it is possible to run a 9-GB disk drive at 200 I/O per second **without regard to latency** effects. However, tests have shown that a limit ...

http://www.cisco.com/univercd/cc/td/doc/product/voice/c_unity/whitpapr/storage.htm - 56k - Cached - Similar pages

Physical Storage Best Practices for Cisco Unity 4.0 (With ... [distance: 1]

... operations. With sequential I/O, it is possible to run a 9-GB disk drive at 200 I/O per second **without regard to latency** effects. ...

http://www.ieng.net/en/US/products/sw/voicesw/ps2237/products_white_paper09186a00800a5b6c.shtml - 75k - Cached - Similar pages

Redmond | Feature Article: Remote Operator [distance: 3]

... OS services, and applications **without regard for bandwidth, latency**, or the failure of a single network interface anywhere along the connection path. ...

<http://redmondmag.com/features/article.asp?EditorialsID=275> - 61k - Cached - Similar pages

Role and limitations of epidemiology in establishing a causal ... [distance: 1]

(or marker) **without regard to latency**. Case-control studies. Correlation between exposure and disease. (or marker) with improved understanding ...

<http://upload.mcgill.ca/cancerepi/SemCaBiol-14-413-2004.pdf> - - Cached - Similar pages

Specifying and Using a Partitionable Group Communication Service [distance: 2]

vices and algorithms **without regard for communication latency** and band-. width.

In assessing the conditional performance of our algorithms we ...

<http://dx.doi.org/10.1145/377769.377776> - - Cached - Similar pages

Specifying and Using a Partitionable Group Communication Service [distance: 2]

vices and algorithms **without regard for communication latency** and band-. width.

In assessing the conditional performance of our algorithms we ...

http://portal.acm.org/f_gateway.cfm?id=377776&type=pdf - - Cached - Similar pages

THINC: A Remote Display Architecture for Thin-Client Computing [distance: 1]

networks, **without regard for latency** and responsiveness. Still,, a growing number of ASPs such as services from FutureLink ...

<http://www.ncl.cs.columbia.edu/publications/cucs-027-04.pdf> - - Cached - Similar pages

TO: CCJ Board Members FROM Peter Guzzo DATE: March 5, 2002 SUBJECT ... [distance: 2]

... a cause of the occupational disease, **without regard to the latency** period for the exposure or whether the employer was the last employer of the worker. ...

<http://www.njccj.org/StateLegislation/leg-priorities.htm> - 28k - Cached - Similar pages

The price of anarchy is independent of the network topology [distance: 3]

... latency) is minimized; however, in many settings network users are free to route their traffic in a selfish manner, **without regard to the total latency**. ...

<http://portal.acm.org/citation.cfm?id=509907.509971> - Cached - Similar pages

Tim Roughgarden [distance: 3]

... latency) is minimized; however, in many settings network users are free to route their traffic in a selfish manner, **without regard to the total latency**. ...

http://www.cs.cornell.edu/courses/cs789/2002sp/tim_roughgarden.htm - 5k - Cached - Similar pages

United States Patent Application: 0020010897 [distance: 1]

... is characterized by constant latency, the method comprising: a) specifying said transfer function; b) **without regard to latency characteristics**, specifying a ...

<http://appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=H1OFF&p=1&u=%2Fnetacgi%2FPTO%2Fsearch-retool.html&r=13&f=G&i=50&co1=AND&d=PG01&s1=walstein&OS=walstein&RS=walstein> - 39k - Cached - Similar pages

We study the degradation in network performance caused by the ... [distance: 3]

... however, in many settings network users are free to route their traffic in a selfish manner, **without regard to the total latency**. ...

<http://theory.stanford.edu/~tim/abstracts/indep.txt> - 4k - Cached - Similar pages

Web Services Part 4: Offering Enterprise Web Services [distance: 2]

... transparent. That is, all invocations were handled **without regard to network latency**, often the biggest bottleneck in a distributed system. ...

<http://www.informit.com/articles/article.asp?p=27362&seqNum=4> - 21k - Cached - Similar pages

Welcome to NJRMA [distance: 2]

... that employer or those employers, exposed to a deleterious substance which is a cause of the occupational disease, **without regard to the latency period** for the ...

<http://njrma.org/members/Publications/State%20House%20Watch/SHW%205-16-03.htm> - 54k - Cached - Similar pages

WhitePaper:PhysicalStorageBestPracticesfor Cisco Unity 4.0 (With ... [distance: 3]

With sequential I/O, it is possible to run a 9-GB disk drive at 200 I/O per second **without regard to latency effects**. However, tests have shown that a ...

http://www.cisco.com/univercd/cc/td/doc/product/voice/c_unity/whitpapr/storage.pdf - Cached - Similar pages

nickel, epidemiological studies: International Committee on Nickel ... [distance: 1]

the lung and nose, the risks were estimated **without regard for latency**. - Exposure during the last five years prior to death was omitted from the analysis ...

<http://cdfc00.rug.ac.be/healthrisk/Nickel/literature/rep%20int%20committee%20NI.5der.htm> - 225k - Cached - Similar pages

â^ « â^ [distance: 1]

record for this subject, **without regard to latency**. The average of class 4(.

4.), showed large activity in. the anterior area, which seems to be caused ...

<http://staff.aist.go.jp/kumagai.toru/biomag2000kumagai.pdf> - Cached - Similar pages

Find within word(s) of

in that order Sort by title Additional terms:

Show All results, with up to from each query Filter each query

License key
(optional)

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.